


ENEC License

License

ENEC-05654

Issue date

2026-06-02



This is to acknowledge that

NINGBO JIANGBEI ZHENHUA ELECTRONIC CO LTD

No 899 Tonghui Rd
Jiangbei District Ningbo, Zhejiang, 315020 China

has had

Fixed capacitor for electromagnetic interference suppression and connection to the supply mains

MKP65

evaluated and meets the requirements of the standard

EN IEC 60384-14:2023

Test Report Nos. E251337-4792210528-4 Original issued on 2026-05-21

Certification Manager
Thomas Wilson

UL International Demko A/S, Borupvang 5A, 2750 Ballerup, Denmark,
Tel. +45 44 85 65 65

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this License, in accordance with the ENEC Requirements. The Designated License holder is entitled to use the ENEC 15 Mark (as shown in annex 1) for the Certified Product manufactured at the production site(s) identified above in accordance with the ENEC Mark Service Agreement including without limitation the ENEC Mark Testing and Certification Services Service Terms. Only those Products bearing the ENEC Mark should be considered as being covered by UL's ENEC Mark Service. This License shall remain valid unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this License is amended or withdrawn prior the Date of Withdrawal of conflicting Standard(s).

License No. ENEC-05654
Date of Issue 2026-06-02

ENEC LICENSE


TECHNICAL DETAILS

Production site(s)	NINGBO JIANGBEI ZHENHUA ELECTRONIC CO LTD No 899 Tonghui Rd Jiangbei District Ningbo, Zhejiang, 315020 China
Trademark	
Ratings	X1, 440VAC, 50/60Hz, 0.001 μ F-1.0 μ F, J(\pm 5%), K(\pm 10%) or M(\pm 20%), 40/110/56/B

Additional Information

Models (continued from page 1)

ENEC LICENSE FORM OF THE ENEC MARK



15 is the identification number of the Certification Body

Size of the mark:

The size of the mark may be reduced on the condition that it remains legible and that the ratio $b/a=1,7$ is kept.